

# RANCO srl

- Normalizzati per stampi -



## Piastre Pre-rettificate

Pre-finished flat steel plates



# INDICE

## INDEX

<b>P2842R</b>	<b>Piastra rettificata</b> Finished flat steel plate	<b>Pg. 03</b>
<b>P2842</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 04</b>
<b>P2436</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 05</b>
<b>P2379</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 06</b>
<b>P2767</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 07</b>
<b>P2363</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 08</b>
<b>P2343</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 09</b>
<b>P2311</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 10</b>
<b>P2312</b>	<b>Piastra pre-rettificata</b> Flat steel plate	<b>Pg. 11</b>
<b>P2162</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 12</b>
<b>P2085</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 13</b>
<b>P1730</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 14</b>
<b>P0570</b>	<b>Piastra pre-rettificata</b> Pre-finished flat steel plate	<b>Pg. 15</b>



# P2842R - Piastra rettificata


- Finished flat steel plate



Materiale: 1.2842  
Material: 1.2842



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B x L  
Example of purchasing order: Code x S x B x L

Sezione Section		S																
		1,00	1,50	2,00	3,00	4,00	5,00	6,00	8,00	10,00	12,00	15,00	20,00	25,00	30,00	40,00	50,00	
B	10,00			•	•	•	•	•	•									
	12,00			•	•	•	•	•	•	•								
	15,00			•	•	•	•	•	•	•	•							
	20,00			•	•	•	•	•	•	•	•	•						
	25,00			•	•	•	•	•	•	•	•	•	•					
	30,00			•	•	•	•	•	•	•	•	•	•	•				
	35,00			•	•	•	•	•	•	•	•	•	•	•	•			
	40,00			•	•	•	•	•	•	•	•	•	•	•	•	•		
	50,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	60,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	70,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	80,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	100,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	120,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	125,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	150,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	160,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	180,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	200,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	250,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
300,00			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

Sezione Section	4,00	5,00	6,00	8,00	10,00	12,00	15,00	16,00	18,00	20,00	25,00	30,00	40,00	50,00	60,00
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•


\* solo L=500  
\* L=500 only

**Note:**  
Tolleranze: S +0,05/-0 mm, B +0,2/-0 mm, L500 <sup>+5</sup>mm; L1000<sup>+35</sup> mm  
Per la sezione quadrata S e B +0,05 mm

**Note:**  
Tolerances: S +0,05/-0 mm, B +0,2/-0 mm, L500 <sup>+5</sup> mm; L1000<sup>+35</sup> mm  
For square section S and B +0,05 mm

# P2842


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2842  
Material: 1.2842



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B x L  
Example of purchasing order: Code x S x B x L

Sezione Section	S																		
	2,40	3,40	4,40	5,40	6,40	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	63,40	80,40	100,40
10,40	•	•	•	•	•	•													
12,40	•	•	•	•	•	•	•												
15,40	•	•	•	•	•	•	•	•											
20,40	•	•	•	•	•	•	•	•	•										
25,40	•	•	•	•	•	•	•	•	•	•									
30,40	•	•	•	•	•	•	•	•	•	•	•								
32,40	•	•	•	•	•	•	•	•	•	•	•	•							
35,40	•	•	•	•	•	•	•	•	•	•	•	•	•						
40,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
50,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
60,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
63,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
70,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
80,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
100,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
120,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
125,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
150,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
160,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
175,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
180,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
200,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
250,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
300,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Sezione Section	8,40	10,40	12,40	15,40	16,40	18,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	63,40	80,40	100,40
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Piatti in acciaio rettificati 500x500mm Precision ground plates 500x500mm	8,20	10,40	12,40	15,40	20,40	25,40	30,40	40,40
	•	•	•	•	•	•	•	•

**Note:**  
Tolleranze L500: S +0,25/-0 mm, B +0,4/-0 mm, L500<sup>+20</sup> mm; L1030<sup>+35</sup> mm  
Per la sezione quadrata S e B +0,25 mm; B e L +20mm


**Note:**  
Tolerances L500: S +0,05/-0 mm, B +0,2/-0 mm, L500<sup>+5</sup> mm; L1000<sup>+35</sup> mm  
For square section S e B +0,05 mm

**Note:**  
Tolleranze L1030: S +0,25/-0 mm, B +0,4/-0 mm, L + 20 mm;  
Per la sezione quadrata S e B +0,25 mm;  
Per piatti rettificati S +0,25 mm, B +20 mm, L +35 mm

**Note:**  
Tolerances L1030: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm;  
For square section S and B +0,25 mm;  
For ground plates S +0,25 mm, B +20 mm, L +35 mm

# P2436


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2436  
Material: 1.2436



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B x L  
Example of purchasing order: Code x S x B x L

Sezione Section		S															
L500	L1030	2,40	3,40	4,40	5,40	6,40	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40
10,30	10,40	•	•	•	•	•	•				○						
15,30	15,40	•	•	•	•	•	•	•	•		○						
20,30	20,40	•	•	•	•	•	•	•	•	•	○						
25,30	25,40	•	•	•	•	•	•	•	•	•	○	•					
30,30	30,40	•	•	•	•	•	•	•	•	•	○	•	•				
	32,40	○	○	○	○	○	○	○	○	○	○	○	○				
40,30	40,40	•	•	•	•	•	•	•	•	•	○	•	•	•			
50,30	50,40	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	
60,30	60,40	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
B	63,40	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	80,30	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
	100,30	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
	125,30	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
	150,30	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
	160,40	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	175,40	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	200,30	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
	250,30	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
	300,30	•	•	•	•	•	•	•	•	•	○	•	•	•	○	•	•
	315,40	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

Sezione Section	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40
	•	•	•	•	○	•	•	•	○	•	•

- solo L=1030
- L=1030 only

**Note:**  
Tolleranze L500: S +0,2/-0 mm, B +0,2/-0 mm, L +5 mm;  
Per la sezione quadrata S e B +0,2/-0 mm

**Note:**  
Tolerances L500: S +0,2/-0 mm, B +0,2/-0 mm, L +5 mm;  
For square section S and B +0,2/-0 mm

**Note:**  
Tolleranze L1030: S +0,25/-0 mm, B +0,4/-0 mm, L +/- 20 mm;  
Per la sezione quadrata S e B +0,25/-0 mm

**Note:**  
Tolerances L1030: S +0,25/-0 mm, B +0,4/-0 mm, L +/- 20 mm  
For square section S and B +0,25/-0 mm

# P2379


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2379  
Material: 1.2379



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B x L  
Example of purchasing order: Code x S x B x L

Sezione Section		S																				
L500	L1030	2,40	3,40	4,40	5,40	6,40	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	63,40	70,40	80,40	100,40
10,30	10,40	•	•	•	•	•	•															
15,30	15,40	•	•	•	•	•	•	•														
20,30	20,40	•	•	•	•	•	•	•	•	•	◦											
25,30	25,40	•	•	•	•	•	•	•	•	•	•	◦	•									
30,30	30,40	•	•	•	•	•	•	•	•	•	•	◦	•	•								
	32,40	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦								
40,30	40,40	•	•	•	•	•	•	•	•	•	•	◦	•	•	◦							
50,30	50,40	•	•	•	•	•	•	•	•	•	•	◦	•	•	◦	•						
60,30	60,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•					
	63,40	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦					
B	70,40	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦				
	80,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦		
	90,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	
100,30	100,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	
125,30	125,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	◦
150,30	150,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	◦
	160,40	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦
	175,40	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦	◦
200,30	200,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	◦
250,30	250,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	◦
300,30	300,40	•	•	•	•	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	◦
	350,40										◦	◦	◦	◦	◦	◦	◦					
	400,40										◦	◦	◦	◦	◦	◦	◦					

Sezione Section	6,40	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	63,40	70,40	80,40	100,40	120,40	150,40
	•	•	•	•	•	◦	•	•	•	◦	•	•	◦	◦	◦	◦	◦	◦	◦

- solo L=1030
- L=1030 only

**Note:**  
Tolleranze L500: S +0,2/-0 mm, B +0,25/-0 mm, L +5 mm  
Per la sezione quadrata S e B +0,25 mm

**Note:**  
Tolerances L500: S +0,2/-0 mm, B +0,2/-0 mm, L +5 mm  
For square section S and B +0,25 mm

**Note:**  
Tolleranze L1030: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm;  
Per la sezione quadrata S e B +0,25 mm

**Note:**  
Tolerances L1030: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm;  
For square section S and B +0,25 mm



# P2767


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2767  
Material: 1.2767



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section		S																	
		4,40	5,40	6,40	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	63,40	80,40	100,40
B	10,40	•	•	•	•														
	12,40	•	•	•	•	•													
	16,40	•	•	•	•	•	•												
	20,40	•	•	•	•	•	•	•											
	25,40	•	•	•	•	•	•	•	•										
	30,40	•	•	•	•	•	•	•	•	•									
	32,40	•	•	•	•	•	•	•	•	•	•								
	40,40	•	•	•	•	•	•	•	•	•	•	•							
	50,40	•	•	•	•	•	•	•	•	•	•	•	•						
	60,40	•	•	•	•	•	•	•	•	•	•	•	•	•					
	63,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
	70,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	80,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	100,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	125,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	150,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	200,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	250,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
300,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

Sezione Section	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	63,40	80,40	100,40
■	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Note:**

L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**

L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tollerances S and B +0,25 mm

# P2363


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2363  
Material: 1.2363



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section	S										
	4,40	6,40	8,40	10,40	12,40	16,40	20,40	25,40	32,40	40,40	50,40
25,40		•	•	•	•						
32,40	•	•	•	•	•	•	•				
40,40	•	•	•	•	•	•	•	•			
50,40	•	•	•	•	•	•	•	•	•		
63,40		•	•	•	•	•	•	•	•	•	•
80,40		•	•	•	•	•	•	•	•	•	•
100,40		•	•	•	•	•	•	•	•	•	•
125,40			•	•	•	•	•	•	•	•	•
160,40			•	•	•	•	•	•	•	•	•
200,40				•	•	•	•	•	•	•	•
250,40						•	•	•	•	•	•

Sezione Section	10,40	12,40	16,40	20,40	25,40	32,40	40,40	50,40	63,40	80,40	100,40
	•	•	•	•	•	•	•	•	•	•	•

**Note:**

L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**

L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tolerances S and B +0,25 mm

# P2343


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2343  
Material: 1.2343



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section		S																	
		4,40	5,40	6,40	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	63,40	80,40	100,40
B	10,40	•	•	•	•														
	12,40	•	•	•	•	•													
	15,40	•	•	•	•	•	•												
	16,40	•	•	•	•	•	•	•											
	20,40	•	•	•	•	•	•	•	•										
	25,40	•	•	•	•	•	•	•	•	•									
	30,40	•	•	•	•	•	•	•	•	•	•								
	32,40	•	•	•	•	•	•	•	•	•	•	•							
	40,40	•	•	•	•	•	•	•	•	•	•	•	•						
	50,40	•	•	•	•	•	•	•	•	•	•	•	•	•					
	60,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•				
	63,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
	70,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
	80,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	100,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	125,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	150,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	160,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	200,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	250,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
300,40				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

Sezione Section	10,40	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	63,40	70,40	80,40	100,40
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

**Note:**

L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**

L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tollerances S and B +0,25 mm

# P2311


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2311  
Material: 1.2311



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section	S											
	6,4	8,4	10,4	12,4	15,4	16,4	20,4	25,4	30,4	32,4	40,4	50,4
20,40		•	•	•	•							
25,40		•	•	•	•	•	•					
30,40		•	•	•	•	•	•	•				
32,40	•	•	•	•	•	•	•	•				
40,40	•	•	•	•	•	•	•	•	•			
50,40	•	•	•	•	•	•	•	•	•	•	•	
60,40	•	•	•	•	•	•	•	•	•	•	•	•
63,40	•	•	•	•	•	•	•	•	•	•	•	•
70,40	•	•	•	•	•	•	•	•	•	•	•	•
80,40	•	•	•	•	•	•	•	•	•	•	•	•
100,40	•	•	•	•	•	•	•	•	•	•	•	•
125,40		•	•	•	•	•	•	•	•	•	•	•
150,40		•	•	•	•	•	•	•	•	•	•	•
175,40		•	•	•	•	•	•	•	•	•	•	•
200,40		•	•	•	•	•	•	•	•	•	•	•
220,40			•	•	•	•	•	•	•	•	•	•
250,40			•	•	•	•	•	•	•	•	•	•
300,40			•	•	•	•	•	•	•	•	•	•

Sezione Section	12,40	16,40	20,40	25,40	32,40
	•	•	•	•	•

**Note:**

L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +-20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**

L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +-20 mm  
For square section tolerances S and B +0,25 mm

# P2312


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2312  
Material: 1.2312



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section	S																
	6,4	8,4	10,4	12,4	15,4	16,4	20,4	25,4	30,4	32,4	40,4	50,4	60,4	70,4	80,4	90,4	100,4
20,40		•	•	•	•	•	•										
25,40		•	•	•	•	•	•										
30,40		•	•	•	•	•	•	•									
32,40	•	•	•	•	•	•	•	•									
40,40	•	•	•	•	•	•	•	•	•								
50,40	•	•	•	•	•	•	•	•	•	•							
60,40	•	•	•	•	•	•	•	•	•	•	•						
63,40	•	•	•	•	•	•	•	•	•	•	•	•					
70,40	•	•	•	•	•	•	•	•	•	•	•	•	•				
80,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
100,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
125,40		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
150,40		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
175,40		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
200,40		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
220,40			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
250,40			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
300,40			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Sezione Section	12,40	15,40	16,40	20,40	25,40	30,40	32,40	40,40	50,40	60,40	70,40	80,40	100,40
	•	•	•	•	•	•	•	•	•	•	•	•	•

**Note:**

L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**

L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tolerances S and B +0,25 mm

# P2162


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2162  
Material: 1.2162



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section	S											
	8,40	10,40	12,40	15,40	16,40	20,40	25,40	30,40	36,40	40,40	50,40	60,40
20,40	•	•	•	•	•							
25,40	•	•	•	•	•	•						
30,40	•	•	•	•	•	•	•					
32,40	•	•	•	•	•	•	•	•				
40,40	•	•	•	•	•	•	•	•	•			
50,40	•	•	•	•	•	•	•	•	•	•		
60,40	•	•	•	•	•	•	•	•	•	•	•	
70,40	•	•	•	•	•	•	•	•	•	•	•	•
80,40	•	•	•	•	•	•	•	•	•	•	•	•
B	100,40	•	•	•	•	•	•	•	•	•	•	•
	150,40	•	•	•	•	•	•	•	•	•	•	•
	200,40	•	•	•	•	•	•	•	•	•	•	•
	250,40	•	•	•	•	•	•	•	•	•	•	•
	300,40	•	•	•	•	•	•	•	•	•	•	•

Sezione Section	20,40	25,40	30,40	32,40	40,40	50,40	60,40	70,40	80,40	100,40
	•	•	•	•	•	•	•	•	•	•

**Note:**


L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**

L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tollerances S and B +0,25 mm

# P2085


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.2085  
Material: 1.2085



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section	S									
	8,40	10,40	15,40	20,40	25,40	30,40	40,40	50,40	60,40	
20,40	•	•	•							
25,40	•	•	•	•						
30,40	•	•	•	•	•					
40,40	•	•	•	•	•	•				
50,40	•	•	•	•	•	•	•			
60,40	•	•	•	•	•	•	•	•		
80,40	•	•	•	•	•	•	•	•	•	
100,40	•	•	•	•	•	•	•	•	•	
125,40	•	•	•	•	•	•	•	•	•	
150,40	•	•	•	•	•	•	•	•	•	
200,40	•	•	•	•	•	•	•	•	•	
250,40	•	•	•	•	•	•	•	•	•	
300,40	•	•	•	•	•	•	•	•	•	

Sezione Section	20,40	25,40	30,40	40,40	50,40	60,40
	•	•	•	•	•	•

**Note:**

L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**


L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tollerances S and B +0,25 mm

# P1730


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.1730  
Material: 1.1730



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section	S														
	4,00	5,00	6,00	8,00	10,00	12,00	16,00	20,00	25,00	32,00	40,00	50,00	63,00	80,00	100,00
25,00	•	•	•	•	•	•	•	•	•						
32,00	•	•	•	•	•	•	•	•	•						
40,00	•	•	•	•	•	•	•	•	•	•					
50,00	•	•	•	•	•	•	•	•	•	•	•				
63,00	•	•	•	•	•	•	•	•	•	•	•	•			
80,00	•	•	•	•	•	•	•	•	•	•	•	•	•		
100,00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
125,00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
150,00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
160,00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
175,00			•	•	•	•	•	•	•	•	•	•	•	•	•
200,00			•	•	•	•	•	•	•	•	•	•	•	•	•
250,00			•	•	•	•	•	•	•	•	•	•	•	•	•
300,00			•	•	•	•	•	•	•	•	•	•	•	•	•
315,00			•	•	•	•	•	•	•	•	•	•	•	•	•
350,00			•	•	•	•	•	•	•	•	•	•	•	•	•
400,00	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
450,00								•	•	•	•	•	•	•	•
500,00								•	•	•	•	•	•	•	•

Sezione Section	10,00	12,00	16,00	20,00	25,00	32,00	40,00	50,00	63,00	80,00	100,00
	•	•	•	•	•	•	•	•	•	•	•

**Note:**

L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm


**Note:**

L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tollerances S and B +0,25 mm



# P0570


- Piastra pre-rettificata  
- Pre-finished flat steel plate



Materiale: 1.0570  
Material: 1.0570



Colore identificativo  
Color symbol



Esempio di ordinativo: Codice x S x B  
Example of purchasing order: Code x S x B

Sezione Section	S														
	4,40	5,40	6,40	8,40	10,40	12,40	16,40	20,40	25,40	32,40	40,40	50,40	63,40	80,40	100,40
25,40	•	•	•	•	•	•	•	•	•						
32,40	•	•	•	•	•	•	•	•	•						
40,40	•	•	•	•	•	•	•	•	•	•					
50,40	•	•	•	•	•	•	•	•	•	•	•				
63,40	•	•	•	•	•	•	•	•	•	•	•	•			
80,40	•	•	•	•	•	•	•	•	•	•	•	•	•		
100,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
125,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
150,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
160,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
175,40			•	•	•	•	•	•	•	•	•	•	•	•	•
200,40			•	•	•	•	•	•	•	•	•	•	•	•	•
250,40			•	•	•	•	•	•	•	•	•	•	•	•	•
300,40			•	•	•	•	•	•	•	•	•	•	•	•	•
315,40			•	•	•	•	•	•	•	•	•	•	•	•	•
350,40			•	•	•	•	•	•	•	•	•	•	•	•	•
400,40	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
450,40								•	•	•	•	•	•	•	•
500,40								•	•	•	•	•	•	•	•

Sezione Section	10,40	12,40	16,40	20,40	25,40	32,40	40,40	50,40	63,40	80,40	100,40
	•	•	•	•	•	•	•	•	•	•	•

**Note:**  
L=1030 le tolleranze: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
Per la sezione quadrata le tolleranze S e B +0,25 mm

**Note:**  
L=1030 tollerances: S +0,25/-0 mm, B +0,4/-0 mm, L +20 mm  
For square section tollerances S and B +0,25 mm

